

Products
People ask for...

ASK
Overseas



PLIERS

SPANNERS

PIPE WRENCHES

ADJUSTABLE WRENCHES

ASK OVERSEAS PVT. LTD.

www.askoverseas.com

INTRODUCTION

A BRIEF OVERVIEW



Ask Overseas Pvt. Ltd. -HAND TOOLS Division caters to Overseas & Domestic demand for all category of hand tools viz Automotive, Agricultural, Garden & others.

AOPL has world class infrastructure for its manufacturing activities including Bar End Induction Heater, Induction Billet Heaters, Material Gathering Machine, Forging Up setters, Drop Hammer, Friction Screw Press, Heat Treatment Furnaces, Induction Hardening Machines, CNC Turning Centers, CNC VMC, CNC HMC, CNC Grinding Machines and many other conventional machines.

Up keeping its mission of "Superior Quality", the company has over the years installed most modern Testing facilities like Ultrasound, UTM, MPT, Hardness Tester, Plating thickness Tester, Chemical-Spectral Analyzer etc.

We at Ask Overseas strive towards extending value for money to our clients & business associates through the collective involvement and team work of all the members of the organization at all levels.

We believe in delivering High Quality products and developing long term business relationships with our clients and business partners.

INFRASTRUCTURE



DESIGN CENTER



CNC DIE MACHINING



DROP HAMMER



MECHANICAL PRESS



INDUCTION HEATERS



UPSETTER



MGM



DD PRESS



HEAT TREATMENT SHOP



DIE STORAGE

ASK Overseas

Products People Ask For...

INDEX



SPANNERS 06-12


AUTOMOTIVE & GARAGE TOOLS 13-16


STRIKING TOOLS 17-19


CARPENTARY TOOLS 20-23


MASONRY TOOLS 24-26


PLUMBING TOOLS 27-29


LUBRICATING TOOLS 30-32


PLIERS & PINCERS 33-35


VICES 36-39


PUNCHES 40-43


HACKSAWS 44-45


LEATHER APRONS 46-48









SPANNERS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...

SPANNERS



AO-1101

DOUBLE OPEN END SPANNERS, ELLIPTICAL PANEL, LONG PATTERN

- Spanners for professionals
- Available in high grade Chrome vanadium steel
- Conforming to DIN 3110
- Jaws at 15 degree angle
- Plating : Bright Chrome or Satin
- Finish: Full polished
- Fully hardened and Tempered
- Packings as per requirement

SIZE (mm)	LENGTH (mm)	WEIGHT (gms)	Set of 6 (429 gms)	Set of 8 (804 gms)	Set of 12 (2204 gms)
6x7	120	24	•	•	•
8x9	140	32	•	•	•
10x11	156	55	•	•	•
12x13	170	76	•	•	•
14x15	190	112	•	•	•
16x17	204	130	•	•	•
18x19	220	165		•	•
20x22	234	210		•	•
21x23	248	240			•
24x27	263	315			•
25x28	282	360			•
27x32	300	485			
30x32	300	485			•
Odd Sizes					
8x10					
13x17					
17x19					
19x22					
22x24					
24x26					





AO-1102

DOUBLE OPEN END SPANNERS, DROP FORGED, RECESSED PANEL, SHORT PATTERN

- Available in high grade carbon steel / Chrome vanadium steel
- Conforming to : ISO 3318 & ISO-1085
- Jaws at 15 degree angle
- Fully hardened and Tempered
- Plating : Zinc, Chrome or Satin
- Finish: Mat or Head Polished
- Packings as per requirement

SIZE (mm)	LENGTH (mm)	WEIGHT (gms)	Set of 6 (429 gms)	Set of 8 (804 gms)	Set of 12 (2204 gms)
6x7	85	12	•	•	•
8x9	100	20	•	•	•
10x11	110	30	•	•	•
12x13	127	40	•	•	•
14x15	147	60	•	•	•
16x17	160	90	•	•	•
18x19	180	115		•	•
20x22	200	155		•	•
21x23	200	155			•
24x27	223	235			•
25x28	234	270			•
30x32	248	365			•
Odd Sizes					
7x8	100	18			
8x10	110	28			
10x12	110	34			
11x12	110	35			
12x14	128	44			
13x14	145	55			
13x15	145	55			
13x17	160	84			
14x17	160	85			
17x19	180	112			
19x22	200	150			
22x24	200	188			
24x26	223	220			
28x30	248	355			
27x32	248	355			



SPANNERS



AO-1103

DOUBLE OPEN END SPANNERS, DROP FORGED, RECESSED PANEL, LONG PATTERN

- Available in high grade Chrome vanadium steel
- GS approved as per DIN 3110
- Plating : Chrome or Satin
- Finish: Mat or Head Polished
- Fully hardened and Tempered
- Packings as per requirement

SIZE (mm)	LENGTH (mm)	WEIGHT (gms)	Set of 6 (429 gms)	Set of 8 (804 gms)	Set of 12 (2204 gms)
6x7	120	23	•	•	•
8x9	140	32	•	•	•
10x11	156	50	•	•	•
12x13	170	62	•	•	•
14x15	190	80	•	•	•
16x17	203	110	•	•	•
18x19	220	150		•	•
20x22	234	200		•	•
21x23	248	230			•
24x26	263	275			
24x27	263	275			•
25x28	282	345			•
27x32	300	450			
30x32	300	450			•





AO-1104

DOUBLE OPEN END SPANNERS, DROP FORGED, RECESSED PANEL, SHORT PATTERN WITH COLLAR

- Available in high grade carbon steel / Chrome vanadium steel
- Conforming to : DIN 895
- Jaws at 15 degree angle
- Fully hardened and Tempered
- Plating : Zinc, Chrome or Satin
- Finish: Mat
- Packings as per requirement

SIZE (mm)	LENGTH (mm)	WEIGHT (gms)	Set of 6 (429 gms)	Set of 8 (804 gms)	Set of 12 (2204 gms)
6x7	120	25	•	•	•
8x9	140	37	•	•	•
10x11	156	55	•	•	•
12x13	170	83	•	•	•
14x15	190	115	•	•	•
16x17	203	145	•	•	•
18x19	220	190		•	•
20x22	234	255		•	•
21x23	248	290			•
24x27	263	375			•
25x28	282	425			•
30x32	300	575			•
Jumbo Sizes					
32X36	306	580			
36X41	340	800			
41X46	375	1000			
46X50	415	1200			
50X55	465	1600			
55X60	515	1900			



AO-1105

COMBINATION SPANNERS, DROP FORGED, ELLIPTICAL PANEL, LONG PATTERN

- Spanners for professionals
- Available in high grade Chrome vanadium steel
- Conforming to DIN 3113
- Jaws at 15 degree angle
- Plating : Bright Chrome or Satin
- Finish: Full polished
- Fully hardened and Tempered
- Packings as per requirement



SIZE (mm)	(SAE)	LENGTH (mm)	WEIGHT (gms)	Set of 6 (420 gms)	Set of 8 (600 gms)	Set of 12 (910 gms)	Set of 14 (1523 gms)	Set of 16 (1794 gms)	Set of 25 (4612 gms)	Set of 26 (5047 gms)
6	1/4	100	18			•		•	•	•
7		110	22			•		•	•	•
8	5/16	120	26	•	•	•	•	•	•	•
9		130	30		•	•	•	•	•	•
10	3/8	140	42	•	•	•	•	•	•	•
11	7/16	150	52		•	•	•	•	•	•
12		160	60	•		•	•	•	•	•
13	½	170	72	•	•	•	•	•	•	•
14	9/16	180	86	•	•	•	•	•	•	•
15		190	92				•		•	•
16	5/8	200	109				•		•	•
17	11/16	210	132	•	•	•	•	•	•	•
18		220	152						•	•
19	¾	230	160		•	•	•	•	•	•
20		240	182					•	•	•
21	13/16	250	192				•	•	•	•
22	7/8	260	210			•	•	•	•	•
23		270	250					•	•	•
24	15/16	280	260				•	•	•	•
25	1	290	300						•	•
26		300	320						•	•
27	1-1/16	310	390						•	•
28	1-1/8	320	435						•	•
29		320	435							•
30		340	460						•	•
31	1-1/4	360	560						•	•

SAE SETS
Set of 6 Pcs: ¼, 3/8, 7/16, 1/2, 9/16, 5/8
Set of 8 Pcs: ¼, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4
Set of 12 Pcs: ¼,5/16,3/8,7/16,1/2,9/16,5/8,11/16,3/4,13/16,7/8,1



SPANNERS

AO-1106

COMBINATION SPANNERS, DROP FORGED, RECESSED PANEL, LONG PATTERN

- Available in high grade carbon steel / Chrome vanadium steel
- Jaws at 15 degree angle
- Plating : Zinc, Chrome or Satin
- Finish: Mat or Head Polished
- Fully hardened and Tempered
- Packings as per requirement



SIZE (mm)	LENGTH (mm)	WEIGHT (gms)	Set of 6 (420 gms)	Set of 8 (600 gms)	Set of 12 (910 gms)	Set of 14 (1523 gms)	Set of 16 (1794 gms)	Set of 25 (4612 gms)	Set of 26 (5047 gms)
6	100	18			•		•	•	•
7	110	20			•		•	•	•
8	120	24	•	•	•	•	•	•	•
9	130	28		•	•	•	•	•	•
10	140	38	•	•	•	•	•	•	•
11	150	48		•	•	•	•	•	•
12	160	55	•		•	•	•	•	•
13	170	60	•	•	•	•	•	•	•
14	180	80	•	•	•	•	•	•	•
15	190	90				•		•	•
16	200	105				•		•	•
17	210	115	•	•	•	•	•	•	•
18	220	130						•	•
19	230	145		•	•	•	•	•	•
20	240	170					•	•	•
21	250	175				•	•	•	•
22	260	185			•	•	•	•	•
23	270	230					•	•	•
24	280	260				•	•	•	•
25	290	300						•	•
26	300	325						•	•
27	310	350						•	•
28	320	400						•	•
29	320	455							•
30	340	480						•	•
31	360	575						•	•



AO-1107

COMBINATION SPANNERS, DROP FORGED, RAISED PANEL, LONG PATTERN

- Available in high grade carbon steel / Chrome vanadium steel
- Jaws at 15 degree angle
- Plating : Bright Chrome or Satin
- Finish: Mat Body-Head & panel polished
- Fully hardened and Tempered
- Packings as per requirement



SIZE (mm)	(SAE)	LENGTH (mm)	WEIGHT (gms)	Set of 6 (402 gms)	Set of 8 (581 gms)	Set of 12 (886 gms)	Set of 14 (1490 gms)	Set of 16 (1731 gms)	Set of 25 (4536 gms)	Set of 26 (5061 gms)
6	1/4	100	16			•		•	•	•
7		110	20			•		•	•	•
8	5/16	120	28	•	•	•	•	•	•	•
9		130	30		•	•	•	•	•	•
10	3/8	140	40	•	•	•	•	•	•	•
11	7/16	150	43		•	•	•	•	•	•
12		160	54	•		•	•	•	•	•
13	½	170	65	•	•	•	•	•	•	•
14	9/16	180	80	•	•	•	•	•	•	•
15		190	90				•		•	•
16	5/8	200	100				•		•	•
17	11/16	210	135	•	•	•	•	•	•	•
18		220	150						•	•
19	¾	230	160		•	•	•	•	•	•
20		240	170					•	•	•
21	13/16	250	190				•	•	•	•
22	7/8	260	215			•	•	•	•	•
23		270	225					•	•	•
24	15/16	280	260				•	•	•	•
25	1	290	270						•	•
26		300	300						•	•
27	1-1/16	310	350						•	•
28	1-1/8	320	400						•	•
29		320	525							•
30		340	525						•	•
31	1-1/4	360	620						•	•

SAE SETS
Set of 6 Pcs: ¼, 3/8, 7/16, 1/2, 9/16, 5/8
Set of 8 Pcs: ¼, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4
Set of 12 Pcs: ¼,5/16,3/8,7/16,1/2,9/16,5/8,11/16,3/4,13/16,7/8,1





AO-1108

BIHEXAGONAL RING SPANNERS, DROP FORGED, ELLIPTICAL PANEL, LONG PATTERN

- Spanners for professionals
- Available in high grade Chrome vanadium steel
- Deep offset • Plating : Bright Chrome or Satin
- Finish: Full polished • Fully hardened and Tempered
- Packings as per requirement

SIZE (mm)	LENGTH (mm)	WEIGHT (gms)	Set of 6 (429 gms)	Set of 8 (804 gms)	Set of 12 (2204 gms)
6x7	176	50	•	•	•
8x9	185	65	•	•	•
10x11	196	85	•	•	•
12x13	211	120	•	•	•
14x15	226	140	•	•	•
16x17	245	175	•	•	•
18x19	266	230		•	•
20x22	285	300		•	•
21x23	305	315			•
24x26	325	385			
24x27	325	385			•
25x28	345	490			•
27x32	370	615			
30x32	370	615			•
Odd Sizes					
14x17					
19x22					



AO-1109

BIHEXAGONAL RING SPANNERS, DROP FORGED, RECESSED PANEL, LONG PATTERN

- Available in high grade carbon steel / Chrome vanadium steel
- Deep offset • Plating: Zinc, Chrome or Satin
- Finish: Head Polished • Fully hardened and Tempered
- Packings as per requirement

SIZE (mm)	LENGTH (mm)	WEIGHT (gms)	Set of 6 (429 gms)	Set of 8 (804 gms)	Set of 12 (2204 gms)
6x7	176	50	•	•	•
8x9	185	65	•	•	•
10x11	196	85	•	•	•
12x13	211	120	•	•	•
14x15	226	140	•	•	•
16x17	245	175	•	•	•
18x19	266	230		•	•
20x22	285	300		•	•
21x23	305	315			•
24x26	325	385			
24x27	325	385			•
25x28	345	490			•
27x32	370	615			
30x32	370	615			•
Odd Sizes					
14x17					
19x22					



AO-1110

SINGLE OPEN END SPANNERS, DROP FORGED

- Available in high grade carbon steel • Conforming to: DIN 894
- Fully hardened and Tempered • Plating : Zinc or Chrome
- Finish: Mat • Packings as per requirement

SIZE (mm)	LENGTH (mm)	WEIGHT (gms)
36	295	450
38	310	530
41	335	650
46	375	850
50	405	1000
55	445	1300
60	485	1450
65	525	1700
70	570	2200
75	610	2600



AO-1111

GAS SPANNER

- Drop forged, Bent panel, Italian type
- Available in high grade carbon steel
- Fully hardened and Tempered
- Plating : Chrome
- Finish: Mat
- Packings as per requirement

SIZE (mm)	SIZE (inch)	QTY/CTN (pcs)	WT/PC (in kgs)	WT/CTN (in kgs)	VOL/CTN (in Cu.m)
25	7/8	200	0.115	25.4	0.02



AUTOMOTIVE & GARAGE TOOLS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...

AO-1201

CROSS WHEEL SPANNER (CONVENTIONAL)



- Made of high grade carbon steel
- Finish: Shot blasted, Polished
- Available in Bright Chrome plating, Silver paint, Zinc plated, powder coated
- Colors available in powder Coating: Metallic blue, Silver ,Black

Sockets Sizes (mm)	Dia (mm)	Length (inch)	Weight/pc (kgms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
17x19-21x23	16	16	1.55	16	20.8	0.042
17x19-21x23	15	14	1.40	20	22.0	0.038
17x19-21x23	14	14	1.03	20	22.0	0.038
17x19-22x13/16"	16	14	1.50	20	22.0	0.038
17x19-22x13/16"	15	14	1.40	20	22.0	0.038
17x19-22x13/16"	14	14	1.03	20	22.0	0.038
17x19-21x1/2"	16	15	1.52	20	24.0	0.040
17x19-21x1/2"	16	14	1.50	20	22.0	0.038
17x19-21x1/2"	15	14	1.40	20	22.0	0.038

AO-1202

CROSS WHEEL SPANNER (RE-INFORCED)



- Made of high grade carbon steel
- Finish: Shot blasted, Polished
- Available in Bright Chrome plating, Silver paint, Zinc plated, powder coated
- Colors available in powder coating : Metallic blue, Silver, Black

Sockets Sizes (mm)	Dia (mm)	Length (inch)	Weight/pc (kgms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
17x19-21x1/2"	16	16	1.45	20	31.9	0.041
17x19-21x1/2"	15	16	1.30	20	28.6	0.040
17x19-21x1/2"	16	15	1.30	20	28.6	0.040
17x19-21x1/2"	15	15	1.10	20	24.2	0.039
17x19-21x1/2"	16	14	1.10	20	24.2	0.038
17x19-21x1/2"	15	14	1.00	20	22.0	0.037

AO-1203

CROSS WHEEL SPANNER (FOLDING)



- Made of high grade carbon steel
- Finish: Shot blasted, Polished
- Available in Bright Chrome plating, Silver paint, Zinc plated, powder coated
- Colors available in powder coating : Metallic blue, Silver, Black

Sockets Sizes (mm)	Dia (mm)	Length (inch)	Weight/pc (kgms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
17x19-21x23	14	14	1.03	15	22.0	0.038

AO-1204

L-TYPE SPANNER

- Made of high grade carbon steel
- Available with / without lever end
- Finish: Shot blasted, Polished
- Plating: Bright Chrome plating, Silver paint, Zinc plated, powder coated
- Colors available in powder coating : Metallic blue, Silver, Black



Sockets Sizes (mm)	Sockets Sizes (Inch)	Dia (mm)	Length (inch)	Weight/pc (kgms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
17	11/16	14	14	460	40	20.4	0.073
19	3/4	14	14	460	40	20.4	0.073
21	13/16	14	14	460	40	20.4	0.073
23	7/8	14	14	460	40	20.4	0.073
24	15/16	14	14	460	40	20.4	0.073
27	1-1/16	14	14	460	40	20.4	0.073



AO-1205

WHEEL SPANNER

- Made of high grade carbon steel
- Induction hardened jaws
- Finish: Shot blasted, Polished
- Plating: Bright Chrome plating, Silver paint, Zinc plated, powder coated
- Available with / without Tommy bar

Sockets Sizes (mm)	Length (mm)	Weight/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
24x27	400	1715	12	22.64	0.012
27x27	400	1715	12	22.64	0.012
27x30	400	1715	12	22.64	0.012
27x32	400	2515	9	24.90	0.012
27x33	400	2515	9	24.90	0.012
30x30	400	1715	12	22.64	0.012
30x32	400	2515	9	24.90	0.012
30x33	400	2515	9	24.90	0.012
32x32	400	2515	9	24.90	0.012
32x33	400	2515	9	24.90	0.012
33x33	400	2195	9	21.73	0.012
38x21	400	2195	9	21.73	0.012
41x19	400	2195	9	21.73	0.012
41x21	400	2195	9	21.73	0.012





AO-1206

TYRE LEVERS (STRAIGHT)

- Made of high grade Carbon steel.
- Ribbed cross section for extra strength
- Duly hardened & Tempered • Finish: Mat
- Plating : Chrome plated, Powder coating

Sockets Sizes (mm)	Sockets Sizes (inch)	Weight/pc (kgms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
8	200	250	80	22.0	0.071
10	250	350	60	23.1	0.071
12	300	420	50	23.1	0.071
16	400	560	40	24.6	0.071
18	450	680	30	22.4	0.071
20	500	700	30	23.1	0.071
24	600	910	24	24.0	0.071
30	750	1125	20	24.8	0.071
36	900	1360	16	23.9	0.071



AO-1207

BEARING PULLER (2 LEGS)

- Made of high grade Carbon steel.
- Fine threading on spindle for proper movement
- Reversible forged legs for external & internal pulling of gears & bearings.
- Duly hardened & Tempered • Finish: Mat
- Plating : Chrome plated, Auto black

Sizes (inch)	Sizes (mm)	Weight/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
3	75	400	40	17.70	0.027
4	100	600	32	21.12	0.029
6	150	700	16	12.32	0.031
8	200	900	12	11.88	0.041
10	250	1100	8	9.68	0.053
12	300	1300	8	11.44	0.063



AO-1208

BEARING PULLER (3 LEGS)

- Made of high grade Carbon steel.
- Fine threading on spindle for proper movement
- Reversible forged legs for external & internal pulling of gears & bearings.
- Duly hardened & Tempered • Finish: Mat
- Plating : Chrome plated, Auto black

Sockets Sizes (inch)	Sockets Sizes (mm)	Weight/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
3	75	500	40	22.00	0.023
4	100	750	32	25.40	0.029
6	150	1000	24	26.40	0.031
8	200	1250	16	22.00	0.018
10	250	1500	12	19.80	0.036
12	300	1750	8	15.40	0.027



AO-1209

SPARK PLUG SPANNER (T-HANDLE TYPE)

- Made of high grade Carbon steel.
- Duly hardened & Tempered
- Plating : Bright chrome
- With PVC dip sleeve

Sockets Sizes (inch)	Weight/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
16	262	80	23.06	0.039
21	262	80	23.06	0.041



AO-1210

TUBULAR BOX SPANNER

- Made of high grade sheet metal
- Plating : Bright chrome / Zinc
- Available with / without tommy bar

Sizes (mm)	Length (mm)	Tommy Bar dia (mm)	Weight/pc (gms)	Set of 8 (785 gms)	Set of 12 (1905 gms)
6x7	110	6	35	•	•
8x9	110	6	35	•	•
10x11	120	6	50	•	•
12x13	140	8	80	•	•
14x15	140	10	85	•	•
16x17	150	12	100	•	•
18x19	160	12	150	•	•
20x22	170	12	200	•	•
21x23	170	14	200		•
24x27	190	14	310		•
25x28	190	16	330		•
30x32	210	16	480		•
Odd Sizes					
9x10	120	6			
14x17	150	10	90		
17x19	160	12	170		
19x22	170	12	220		
22x24	190	14	310		
24x26	190	14	310		
27x32	210	16	480		
32x36	230	16	600		
36x41	230	16	800		
41x46	250	16	1000		
Tommy bar (10mm x 190 mm with steps of 6mm & 8 mm)					125 gms
Tommy bar (12mm x 250 mm)					225 gms













STRIKING TOOLS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...

AO-1301

SLEDE HAMMER



- Forged carbon steel
- Polished and lacquered heads
- Hardened and tempered
- Finish : painted / powder coated
- Wooden handle as per requirement

Size (kgs)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
1	20	22.0	0.019
1.5	18	29.7	0.016
2	12	26.4	0.015
3	8	26.4	0.015
4	6	26.4	0.015
5	4	22.0	0.017
6	4	26.4	0.016
8	4	35.2	0.018
10	2	22.0	0.013
12	2	26.4	0.011
14	2	30.8	0.020
16	2	35.2	0.017



AO-1302

CLUB HAMMER

- Forged carbon steel
- Polished and lacquered heads
- Hardened and tempered
- Finish : painted / powder coated
- Wooden handle as per requirement

Size (kgs)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
1	20	22.0	0.019
1.5	18	29.7	0.016
2	12	26.4	0.015
3	8	26.4	0.015
4	6	26.4	0.015
5	4	22.0	0.017
6	4	26.4	0.016
8	4	35.2	0.018
10	2	22.0	0.013
12	2	26.4	0.011
14	2	30.8	0.020
16	2	35.2	0.017



AO-1303

STONNING HAMMER

- Forged carbon steel
- Polished and lacquered heads
- Hardened and tempered
- Finish : painted / powder coated
- Wooden handle as per requirement

Size (kgs)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
2	12	26.4	0.019
2.5	18	29.7	0.016
3	8	26.4	0.015
4	6	26.4	0.015





AO-1304

CROSS PEIN HAMMER

- Forged carbon steel
- Polished and lacquered heads
- Hardened and tempered
- Finish : Polished/painted / powder coated
- With wooden handle

Size (lbs)	Size (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
1/4	115	120	15.2	0.042
1/2	225	72	17.8	0.035
3/4	340	48	18.0	0.035
1	450	36	17.8	0.026
1-1/2	675	24	17.8	0.033
2	900	16	15.8	0.024
2-1/2	1120	16	19.7	0.032

STRIKING TOOLS



AO-1305

BALL PEIN HAMMER

- Forged carbon steel
- Polished and lacquered heads
- Hardened and tempered
- Finish : Polished/painted / powder coated
- With wooden handle

Size (lbs)	Size (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
1/4	115	120	15.2	0.042
1/2	225	72	17.8	0.035
3/4	340	48	18.0	0.035
1	450	36	17.8	0.026
1-1/2	675	24	17.8	0.033
2	900	16	15.8	0.024
2-1/2	1120	16	19.7	0.032



AO-1306

MACHINIST HAMMER

- Forged carbon steel
- Polished and lacquered heads
- Hardened and tempered
- Finish : Polished/painted / powder coated
- With wooden handle

Size (kgs)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
100	120	13.2	0.036
150	120	19.8	0.036
200	100	22.0	0.049
250	60	16.5	0.037
300	60	19.8	0.037
400	40	17.6	0.039
500	40	22.0	0.039
800	24	21.1	0.037
1000	24	26.4	0.040
1500	16	26.4	0.036
2000	12	26.4	0.030



AO-1307

CLAW HAMMER WITH WOODEN HANDLE

- Forged carbon steel
- Polished and lacquered heads
- Hardened and tempered
- Finish : Polished/painted / Bright chrome

Size (lbs)	Size (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
1/2	225	72	17.8	0.042
3/4	340	48	18.0	0.039
1	450	36	17.8	0.030
1-1/2	675	24	17.8	0.039
2	900	16	15.8	0.029
2-1/2	1120	16	19.7	0.039



AO-1308

CLAW HAMMER WITH STEEL SHAFT

- Forged carbon steel
- Polished and lacquered heads
- Hardened and tempered
- Finish : Polished/painted / Bright chrome

Size (lbs)	Size (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
1/2	225	72	17.8	0.039
1	450	36	17.8	0.036




AO-1309

CHIPPING HAMMER WITH SPRING HANDLE

- Forged carbon steel
- Pointed & chisel Head
- Hardened and tempered
- Finish : Painted / Powder coated

Size (kgs)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
200	100	22.0	0.039













CARPENTRY TOOLS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...



AO-1401

T-BAR CLAMPS

- Bar made of high grade carbon steel
- Large malleable Cast iron Clamping heads
- Wear resistant acme thread.
- Rust resistant powder coating

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
2	600	2865	10	31.5	0.037
2-1/2	750	3230	10	35.5	0.046
3	900	3730	10	41.0	0.054
3-1/2	1050	3980	8	35.0	0.048
4	1200	4375	8	38.5	0.054
4-1/2	1350	4620	6	30.5	0.046
5	1500	5105	6	33.7	0.050
5-1/2	1650	5620	6	37.1	0.068
6	1800	6150	6	40.6	0.074
6-1/2	1940	6700	4	29.5	0.062
7	2100	7270	4	32.0	0.067
8	2400	8635	4	38.0	0.076



AO-1402

C or G-CLAMP

- Malleable cast iron
- Zinc coated screw
- Painted Body

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
2	50	350	80	30.8	0.021
3	75	450	50	24.8	0.018
4	100	575	30	19.0	0.019
5	125	650	20	14.3	0.019
6	150	875	20	19.3	0.019
8	200	1300	15	21.5	0.025
10	250	2000	10	22.0	0.028
12	300	2500	8	22.0	0.025



AO-1403

HAND DRILL MACHINE

- Casted body
- 3 jaws chuck
- Detachable wooden handle

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
1/4	6	700	40	30.8	0.069
3/8	10	850	40	37.4	0.069



AO-1404

BREAST DRILL MACHINE

- Cast Iron body
- Double pinion
- 3 jaw chuck
- Milling cut gears
- Tube grip with plastic handles

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
3/8	10	1500	20	33.0	0.057
1/2	13	2300	10	25.3	0.047



AO-1405

MINI C or G-CLAMP (set of 3 pcs)

- Malleable cast iron
- Zinc coated spindle
- Powder coated / painted

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
1	25	107	300	32.0	0.049
2	50	128	250	32.0	0.049
3	75	160	200	32.0	0.049



AO-1406

WOOD SPLITTING WEGE

- High quality Carbon steel
- Hardened and Tempered
- With groove

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
1	25	945	24	25.0	0.010
1-1/2	38	1420	16	25.0	0.014
2	50	1890	12	25.0	0.009



AO-1407

WRECKING BARS

- Forged High quality Carbon steel
- Hardened and Tempered
- One side Chisel, other side for nail pulling
- Painted / powder coated
- Tip polish on order
- Available in Single / Double bend



Sizes			WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
Dia (inch)	Length (inch)	Length (mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
16	18	450	840	24	22.2	0.024
16	20	500	933	24	24.6	0.027
16	24	600	970	24	25.6	0.031
18	18	450	873	20	19.2	0.020
18	20	500	970	16	17.1	0.022
18	24	600	1164	16	20.5	0.026
18	28	700	1358	12	17.9	0.025
18	30	750	1455	12	19.2	0.026
18	32	800	1552	12	20.5	0.028
18	36	900	1746	12	23.0	0.035
18	40	1000	1940	8	17.1	0.038





AO-1408

NAIL PULLER

- Forged High quality Carbon steel
- Hardened and Tempered
- Pulling head with plastic grip
- Painted / powder coated

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
10	250	12	360	14.3	0.008
12	300	12	430	17.0	0.009
10	250	16	500	19.8	0.010
12	300	16	570	22.6	0.012

AO-1410

BLOCK PLANE (FOR PROFESSIONALS)

- Cast Iron Body / Sheet metal body
- Blades made of high speed steel
- Sheet metal grip handle
- Available in PLAIN / CORRUGATED base

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
5.5	140	550	40	24.2	-
7	175	712	30	23.5	-




AO-1409

IRON JACK PLANE (for professionals)

- Cast Iron Body
- Steel screw (option for Brass screws)
- Blades made of high speed steel
- Wooden / plastic handle/knob as per order
- Available in PLAIN / CORRUGATED base.



Size No	Length		Width of cutter		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
	(inch)	(mm)	(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
3	7	175	1-3/4	45	1050	16	18.5	-
4	6	200	2	50	1600	12	21.1	-
5	14	350	2	50	2800	10	30.8	-
6	18	450	2-1/4	57	3850	6	25.4	-
7	22	550	2-1/4	57	4500	4	19.8	-



MASONRY TOOLS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...

MASONRY TOOLS



AO-1501

BRICK BOSLTER

- Drop forged, carbon steel
- Finish : powder coated
- Available with / without grip

Size (inch)	Size (mm)	WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
2-1/4	60	400	60	26.4	0.018
3	75	550	50	30.3	0.018
4	100	850	40	37.4	0.026
4-1/2	115	850	24	22.4	0.026





AO-1503

PLUMB BOB

- Carbon steel
- Finish : powder coated / chrome plated
- Available in Pyramid (conical) / Cylindrical types
- Supplied with guides & rope

Size (gms)	WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
100	100	200	22.0	0.025
200	200	100	22.0	0.014
300	300	80	26.4	0.016
400	400	60	26.4	0.015
500	500	48	26.4	0.016
600	600	48	31.7	0.016
800	800	32	28.2	0.014
1000	1000	24	26.4	0.011






AO-1502

MASON PEG (with sheeted lever)

- Drop forged, carbon steel
- Finish : powder coated
- Available in Round / Octagonal / Square shapes

Size (inch)	Size (mm)	WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
10	250	250	120	33.0	0.029
12	300	300	120	39.6	0.029



AO-1504

CHISELS

- Selected Carbon steel, forged
- Duly hardened and Tempered
- Finish : Powder coated, painted
- Chisel options : Flat / Pointed
- Available with / Without Guard
- Dia available : 14,16,18,25 mm



Sizes			WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
Length (inch)	Dia (inch)	Length (mm)				
6	14	150	210	80	18.5	0.049
8	14	200	270	60	17.8	0.048
10	14	250	340	60	22.4	0.050
12	14	300	430	48	22.7	0.052
6	16	150	232	80	20.4	0.049
8	16	200	310	60	20.5	0.048
10	16	250	387	60	25.5	0.050
12	16	300	465	48	24.6	0.052
14	16	350	542	40	23.8	0.044
6	18	150	290	80	25.5	0.049
8	18	200	390	60	25.7	0.048
10	18	250	487	60	32.1	0.050
12	18	300	585	48	30.9	0.052
14	18	350	730	40	32.1	0.044
16	18	400	810	35	31.2	0.051
18	18	450	900	30	29.7	0.056
24	18	600	1140	24	30.1	0.055





AO-1505

CROW BAR

- High quality Carbon steel, forged
- One end chisel, other end pointed
- Hexagonal section
- Duly hardened and Tempered
- Finish : Powder coated, painted




Sizes			WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
Length (inch)	Dia (inch)	Length (mm)				
48	1200	25	4370	5	24.0	0.049
60	1500	25	5450	3	18.0	0.048
72	1800	25	6650	3	22.0	0.050













PLUMBING TOOLS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...

PLUMBING TOOLS



AO-1601

PIPE WRENCH (STILSON TYPE)

- Drop forged, high quality carbon steel
- Duly hardened & Tempered jaws
- Finish : powder coated / painted (HALF / FULL)

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
8	200	350	100	38.5	0.030
10	250	510	40	22.4	0.023
12	300	700	30	23.1	0.024
14	350	950	20	20.9	0.023
18	450	1570	16	27.6	0.030
24	600	2770	10	30.5	0.040
36	900	7333	6	48.4	0.028
48	1200	8250	4	36.3	0.027



AO-1603

ADJUSTABLE WRENCH

- Drop forged ,carbon steel, Heavy duty
- Duly heat treated jaws.
- Finish : Bright Chrome plated

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
6	150	120	150	19.8	0.027
8	200	225	120	29.7	0.029
10	250	375	60	24.8	0.038
12	300	625	48	33.0	0.028
15	375	785	24	20.7	-



AO-1602

PIPE WRENCH HEAVY DUTY (RIGID TYPE)

- Selected carbon steel
- Drop forged jaws, Body made of malleable steel,
- Duly heat treated jaws
- Finish : Powder coated / painted

Size		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
(inch)	(mm)	(gms)	(pcs)	(kgs)	(in Cu.m)
8	200	500	60	33.0	0.017
10	250	700	40	30.8	0.019
12	300	900	30	29.7	0.014
14	350	1300	20	28.6	0.023
18	450	2100	16	37.0	0.024
24	600	4000	6	26.4	0.040



AO-1604

OIL FILTER WRENCH (CHAIN TYPE)

- Available in light duty / heavy duty with PVC grip.
- Duly heat treated • Finish : Zinc plated
- Also available in S.G.Casting with hardened jaws (professional)



Sizes		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
Handle Length (cm)	Chain Length(cm)	(gms)	(pcs)	(kgs)	(in Cu.m)
		LIGHT DUTY			
20.5	42	135	160	23.3	0.014
		HEAVY DUTY			
20.5	42	135	160	23.3	0.014



AO-1605

OIL FILTER WRENCH (WITH THREE LEGS)

- Gear driven legs to grip and turn the tightest filters
- Designed for use with 3/8" drive or ¾" hex wrench
- Heavy duty grooved legs for positive grip
- Finish : Chrome plated



AO-1607

WATER PUMP PLIER (SLIP JOINT TYPE)

- Drop forged ,Selected carbon steel
- Broached channels
- Duly heat treated
- Finish : Mat / Head polished
- Plating : Bright chrome plated
- With / without dip insulation

Size		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
(inch)	(mm)				
10	250	300	80	26.5	0.031
12	300	360	60	23.8	0.021



AO-1609

WATER PUMP PLIER (GROOVE / CHANNEL TYPE)

- Drop forged, Selected Carbon Steel
- Duly heat treated • Finish : Mat / Head polished
- Plating : Bright Chrome plating • PVC dip or W type sleeve

Size		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
(inch)	(mm)				
6	150	200	120	26.4	0.020
8	200	245	100	27.0	0.020
10	250	348	80	30.6	0.031
12	300	558	40	24.6	0.021



AO-1606

OIL FILTER WRENCH (BEND TYPE)

- Available in NYLON / ALUMINIUM model
- Reinforced plastic /Aluminium casted head with Spring steel strip
- Removes filters with minimal risk of damage
- Heavy duty plastic / cast body & control knob



AO-1608

WATER PUMP PLIER (BOX JOINT TYPE)

- Drop forged ,Selected carbon steel / Chrome vanadium steel
- Broached channels
- Duly heat treated
- Finish : Powder coated (Black / Red)
- With / without dip insulation

Size		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
(inch)	(mm)				
10	250	340	80	29.9	0.031
12	300	570	60	37.6	0.021



AO-1610

CHAIN PIPE WRENCH

- Casted plates
- Reverse able jaws

Size		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
(inch)	(mm)				
2	50	3000	8	26.40	0.045
3	75	4750	6	31.35	0.045
4	100	6750	4	29.70	0.062
6	150	9000	2	19.80	0.058
8	200	10250	2	22.55	0.070
10	250	20500	1	22.55	0.043
12	300	23500	1	25.85	0.056













LUBRICATING TOOLS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...



AO-1701

PISTOL TYPE GREASE GUN

- Heavy duty steel Block head with Air bleeder valve
- Fixed, Flexible spouts with coupler (as per order)
- Standard model with 3000 PSI Pressure
- Finish: Chrome plated, Powder coated

Capacity		Qty/Ctn (pcs)	WT/pc (kgs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
OZ	GMS				
4	110	40	0.54	24	0.030
15	420	15	1.74	29	0.062



AO-1703

LEVER TYPE GREASE GUN

- Sheet metal body
- Fixed, Flexible spouts with coupler (as per order)
- Available in different specifications
- Finish: Bright Nickel/chrome plated, Black,Silver grey, Metallic Blue

Capacity		Qty/Ctn (pcs)	Piston (inch)	Qty/Ctn (pcs)	WT/pc (kgs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
OZ	GMS						
15	445	3500	3/8	-	-	-	-
15	445	4000	5/16	-	1.85	-	-
15	445	3000	5/8	-	-	-	-
15	445	2500	1/2	-	2.00	-	-
20	660	7000	5/16	-	2.40	-	-



AO-1705

HIGH PRESSURE OIL CAN (WESCO TYPE)

- Seamless heavy gauge body with two steel ball valves for large volume delivery per stroke
- Available with fixed / flexible spouts
- Available in Steel & Brass pumps
- Finish: Metallic/Non metallic

Capacity		Qty/Ctn (pcs)	WT/pc (kgs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
pint	cc				
1/4	125	100	0.20	23.0	0.081
1/2	250	100	0.22	26.0	0.121
3/4	375	100	0.25	28.5	0.132
1	500	100	0.27	30.3	0.156
1-1/2	750	60	0.33	20.6	0.110
2	1000	60	0.35	26.0	0.165



AO-1702

PUSH TYPE GREASE GUN

- With universal connector
- Good for industrial, automotive & agricultural applications
- Available in steel and plastic bodies
- Steel nozzle

Capacity		Qty/Ctn (pcs)	WT/pc (kgs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
OZ	GMS				
4	110	80	0.285	25	0.063
8	225	60	0.470	31	0.051



AO-1704

SUCTION GUNS

- Rust resistant Sheet metal body
- Puller rod handle for easy operation with 12" plastic suction tube
- Can hold upto 18 ounces of fluid
- Impervious to oil, grease & water
- Finish: Powder coated

Capacity		Qty/Ctn (pcs)	WT/pc (kgs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
OZ	GMS				
10	448	15	15	8.25	-



AO-1706

HEVY DUTY OIL CAN (PERFETTO TYPE)

- Seamless heavy gauge body with two steel ball valves for large volume delivery per stroke
- Available with fixed / flexible spouts
- Available in Steel & Brass pumps
- Finish: Metallic/Non metallic

Capacity (cc)	Qty/Ctn (pcs)	WT/pc (kgs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
200	100	0.20	23.0	0.081
300	100	0.22	26.0	0.121
400	100	0.25	28.5	0.132
500	100	0.27	30.3	0.156
700	60	0.33	20.6	0.110
1000	60	0.35	26.0	0.165




AO-1707

OIL CAN (PISTOL TYPE)

- Seamless heavy gauge body with two steel ball valves for large volume delivery per stroke
- Available with fixed / flexible spouts
- Available in Steel & Brass pumps
- With base / without base
- Finish: Metallic/Non metallic

Capacity		Qty/Ctn (pcs)	WT/pc (kgs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
pint	cc				
1/4	125	100	0.15	17.0	0.070
	180	-	-	-	-
1	500	-	-	-	-



AO-1709

CAULKING GUN (SKELETON TYPE)

- Available in Hex bar / round bar (as per order)
- Sheeted body

Capacity		Qty/Ctn (pcs)	WT/pc (kgs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
inch	mm				
9	225	30	0.40	13.2	0.032
10	250	30	-	13.8	0.034



AO-1708

ROTARY OIL PUMP

- Cast iron body, hosing
- Heavy duty pump
- Comes with choice of 3 pcs rigid sauction pipes or one rigid pipe or one telescopic pipe & a 2" long nut and curved steel discharge spout
- Fits 30~50 gallons barrel

Capacity (inch)	Qty/Ctn (pcs)	WT/pc (kgs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
3/4	4	4.50	19.8	-
1	4	5.00	22.0	-











PLIERS & PINCERS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...

PLIERS & PINCERS



AO-1801

COMBINATION PLIER

- Drop forged, made of high carbon steel.
- Also available in Chrome vanadium steel (professional)
- Fully Hardened & Tempered
- Available in Chrome plating / natural polish
- Sleeves as per requirement

Capacity		Qty/Ctn	WT/pc	WT/Ctn	Vol/Ctn
inch	mm	(pcs)	(kgs)	(kgs)	(in Cu.m)
6	150	120	0.225	29.70	0.039
7	175	100	0.250	27.50	0.040
8	200	80	0.285	25.08	0.038



AO-1804

FLAT NOSE PLIER

- Drop forged, made of high carbon steel.
- Also available in Chrome vanadium steel (professional)
- Fully Hardened & Tempered
- Available in Chrome plating / natural polish
- Sleeves as per requirement

Capacity		Qty/Ctn	WT/pc	WT/Ctn	Vol/Ctn
inch	mm	(pcs)	(kgs)	(kgs)	(in Cu.m)
6	150	120	0.185	24.42	0.026
7	175	120	0.220	29.04	0.036
8	200	100	0.252	27.72	0.034




AO-1802

LONG NOSE PLIER

- Drop forged, made of high carbon steel.
- Also available in Chrome vanadium steel (professional)
- Fully Hardened & Tempered
- Available in Chrome plating / natural polish
- Sleeves as per requirement

Capacity		Qty/Ctn	WT/pc	WT/Ctn	Vol/Ctn
inch	mm	(pcs)	(kgs)	(kgs)	(in Cu.m)
6	150	120	0.185	24.42	0.041
7	175	120	0.220	29.04	0.039
8	200	100	0.252	27.72	0.051



AO-1805

BENT NOSE PLIER

- Drop forged, made of high carbon steel.
- Also available in Chrome vanadium steel (professional)
- Fully Hardened & Tempered
- Available in Chrome plating / natural polish
- Sleeves as per requirement

Capacity		Qty/Ctn	WT/pc	WT/Ctn	Vol/Ctn
inch	mm	(pcs)	(kgs)	(kgs)	(in Cu.m)
6	150	120	0.185	24.42	0.041
7	175	120	0.220	29.04	0.047
8	200	100	0.252	27.72	0.052



AO-1803

SIDE /DIAGONAL CUTTING PLIER

- Drop forged, made of high carbon steel.
- Also available in Chrome vanadium steel (professional)
- Fully Hardened & Tempered
- Available in Chrome plating / natural polish
- Sleeves as per requirement

Capacity		Qty/Ctn	WT/pc	WT/Ctn	Vol/Ctn
inch	mm	(pcs)	(kgs)	(kgs)	(in Cu.m)
6	150	120	0.185	24.42	0.041
7	175	100	0.220	29.04	0.047
8	200	100	0.252	27.72	0.052



AO-1806

WIRE SNIP PLIER

- Drop forged, made of high carbon steel.
- Also available in Chrome vanadium steel (professional)
- Fully Hardened & Tempered
- Available in Chrome plating / natural polish
- Sleeves as per requirement

Capacity		Qty/Ctn	WT/pc	WT/Ctn	Vol/Ctn
inch	mm	(pcs)	(kgs)	(kgs)	(in Cu.m)
6	150	120	0.185	24.42	0.041
7	175	120	0.220	29.04	0.047
8	200	100	0.252	27.72	0.052

PLIERS & PINCERS



AO-1807

ROUND NOSE PLIER

- Drop forged, made of high carbon steel.
- Also available in Chrome vanadium steel (professional)
- Fully Hardened & Tempered
- Available in Chrome plating / natural polish
- Sleeves as per requirement

Capacity		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
inch	mm				
6	150	0.185	120	24.42	0.026
7	175	0.220	120	29.04	0.036
8	200	0.252	120	27.72	0.034



AO-1808

LOCK GRIP PLIER

- High grade carbon / Chrome vanadium steel
- Heavy duty lever & spring
- Jaws duly hardened & tempered jaws
- Plating : Niclle
- Tube sleeve on lever as per order

Capacity		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
inch	mm				
5	125	180	160	31.68	0.012
7	175	290	80	25.52	0.024
10	250	420	80	36.96	0.027




AO-1809

FENCING PLIER (with hammer head)

- Drop forged, High grade carbon steel
- Duly hardened & tempered
- Finish : Natural polish
- Dip insulation, color as per order

Capacity		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
inch	mm				
10	250	700	30	23.1	0.027



AO-1810

MINIATURE PLIER

- Drop forged, Selected carbon steel
- Hardened & Tempered • Set of 6 pcs consisting of Combination plier, long nose plier, side cutting plier, flat nose plier, Round nose plier, Top cutting plier
- Finish : Polished
- Sleeves : Dip sleeves (color as per order)

Capacity		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
inch	mm				
4-1/4	110	386	80	34	0.057



AO-1811

TIN SNIP PLIER

- Drop forged, Selected carbon steel
- Jaws hardened & tempered
- Finish: Polished jaws, painted legs
- Available with / without spring
- Available in normal / Spanish types

Capacity		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
inch	mm				
8	200	225	100	24.75	0.030
10	250	375	60	24.75	0.026
12	300	700	40	30.80	0.022




AO-1812

SAW SET PLIER

- Available in malleable steel (German type) or Aluminum die cast (Pistol type)
- Finish : painted

Capacity		WT/pc (gms)	Qty/Ctn (pcs)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
inch	mm				
7	175	225	100	25.7	0.035













VICES

ASK Overseas

PRODUCTS PEOPLE ASK FOR...

VICES

AO-1901

CAST IRON BENCH VICE (GS APPROVED) - FIXED BASE



- Heavy duty, tough & robust
- Made of high grade carbon steel.
- Gripping jaws made of high grade carbon steel, hardened & tempered

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	3	75	4	6.0	26.0	0.028
2	3-1/2	90	4	6.5	29.0	0.039
3	4	100	2	10.5	23.0	0.026
4	4-1/2	115	2	11.5	25.3	0.032
5	5	125	1	14.5	16.0	0.016
6	6	150	1	20.0	22.0	0.019
7	8	200	1	29.0	32.0	0.027



AO-1903

CAST IRON BENCH VICE (PROFESSIONAL-WITH DOUBLE RIB) - FIXED BASE



- Heavy duty ,tough & robust with double ribs for excellent grip of jobs.
- Made of high grade carbon steel.
- Gripping jaws made of high grade carbon steel, hardened & tempered

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	3	75	4	6.0	26.0	0.028
2	3-1/2	90	4	6.5	29.0	0.039
3	4	100	2	10.5	23.0	0.026
4	4-1/2	115	2	11.5	25.3	0.032
5	5	125	1	14.5	16.0	0.016
6	6	150	1	20.0	22.0	0.019
7	8	200	1	29.0	32.0	0.027


AO-1902

CAST IRON BENCH VICE (GS APPROVED) - SWIVEL BASE



- Heavy duty ,tough & robust
- Made of high grade carbon steel.
- Gripping jaws made of high grade carbon steel, hardened & tempered
- Fitted with strong swivel base which can be turned to 360 degrees in any direction.

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	3	75	2	6.5	14.8	0.020
2	3-1/2	90	2	7.5	16.2	0.028
3	4	100	1	12.0	13.3	0.014
4	4-1/2	115	1	12.5	14.0	0.018
5	5	125	1	16.5	18.4	0.022
6	6	150	1	20.5	22.6	0.026
7	8	200	1	34.0	37.6	0.039



AO-1904

CAST IRON BENCH VICE (PROFESSIONAL-WITH DOUBLE RIB) - SWIVEL BASE



- Heavy duty ,tough & robust with double ribs for excellent grip of jobs
- Made of high grade carbon steel.
- Gripping jaws made of high grade carbon steel, hardened & tempered
- Fitted with strong swivel base which can be turned to 360 degrees in any direction.

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	3	75	2	6.5	14.8	0.020
2	3-1/2	90	2	7.5	16.2	0.028
3	4	100	1	12.0	13.3	0.014
4	4-1/2	115	1	12.5	14.0	0.018
5	5	125	1	16.5	18.4	0.022
6	6	150	1	20.5	22.6	0.026
7	8	200	1	34.0	37.6	0.039

VICES

AO-1905

CAST IRON BENCH VICE (DIY MODEL) - FIXED BASE



- Made of cast iron body.
- Gripping jaws made of carbon steel, hardened & tempered
- Suitable for light use

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	3	75	4	6.0	26.0	0.028
2	3-1/2	90	4	6.5	29.0	0.039
3	4	100	2	10.5	23.0	0.026
4	4-1/2	115	2	11.5	25.3	0.032
5	5	125	1	14.5	16.0	0.016
6	6	150	1	20.0	22.0	0.019
7	8	200	1	29.0	32.0	0.027



AO-1907

STEEL VICE (DIY MODEL) - FIXED BASE



- Steel body
- Gripping jaws knurled, hardened & tempered
- Suitable for light use

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	3	75	6	3.5	24.0	0.023
2	4	100	4	5.5	24.0	0.024
3	5	125	2	9.5	21.0	0.021
4	6	150	1	11.5	12.5	0.011
5	8	200	1	13.0	14.5	0.013


AO-1906

CAST IRON BENCH VICE (DIY MODEL)-SWIVEL BASE



- Made of cast iron body
- Gripping jaws made of carbon steel, hardened & tempered
- Fitted with swivel base which can be turned to 360 degrees in any direction.
- Suitable for light use

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	3	75	2	6.5	14.8	0.020
2	3-1/2	90	2	7.5	16.2	0.028
3	4	100	1	12.0	13.3	0.014
4	4-1/2	115	1	12.5	14.0	0.018
5	5	125	1	16.5	18.4	0.022
6	6	150	1	20.5	22.6	0.026
7	8	200	1	34.0	37.6	0.039



AO-1908

STEEL VICE (DIY MODEL) - SWIVEL BASE



- Steel body
- Gripping jaws knurled, hardened & tempered
- Suitable for light use
- Fitted with swivel base which can be turned to 360 degrees in any direction.

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	3	75	6	4.2	27.5	0.033
2	4	100	4	6.5	28.0	0.033
3	5	125	2	10.7	23.5	0.026
4	6	150	1	12.3	13.5	0.012
5	8	200	1	14.5	16.0	0.018

VICES

AO-1909

BABY VICE -FIXED BASE



- Body made of cast iron
- Provided with clamp for firm grip on table
- Jaws knurled and heat treated
- Finish : Painted

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	1-1/2	40	32	0.54	19.0	0.024
2	2	50	32	0.68	24.0	0.022
3	2-1/2	60	24	0.84	22.2	0.020
4	3	70	24	0.89	23.5	0.022

AO-1910

BABY VICE -SWIVEL BASE



- Body made of cast iron
- Provided with clamp for firm grip on table
- Jaws knurled and heat treated
- Fitted with swivel base which can be turned to 360 degrees in any direction.
- Finish : Painted

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	1-1/2	40	24	0.60	25.0	0.031
2	2	50	24	0.75	22.4	0.027
3	2-1/2	60	20	0.95	26.5	0.033
4	3	70	20	1.22	22.3	0.035

AO-1911

HAND VICE



- Malleable iron body
- Steel Screw
- Suitable for holding small jobs
- Finish: painted

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	3	75	120	0.178	23.5	0.021
2	4	100	80	0.267	23.5	0.019
3	5	125	48	0.502	26.5	0.021
4	6	150	40	0.605	26.6	0.022
5	8	200	20	1.168	25.7	0.025

AO-1912

PIPE VICE SELF LOCKING



- Malleable cast iron body
- Replaceable steel jaws, hardened & tempered
- Self locking reversible frame for left/right hand operations
- Finish: painted
- Available with stand too

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	1-1/2	37	12	1.600	21.1	0.032
2	2	50	8	3.000	26.3	0.052
3	2-1/2	63	6	3.500	23.5	0.027
4	3	75	4	5.650	24.8	0.040
5	4	100	2	13.360	29.4	0.040

AO-1913

WOOD WORKING VICE



- Cast iron body
- High quality steel screw with handle
- Finish : painted

SIZE			QTY / CTN	WT / PC	WT /CTN	VOL/CTN
No.	Inch	mm	pcs	in Kgs	in Kgs	in cbm
1	6	150	12	2.500	33.0	0.026
2	8	200	8	4.000	35.2	0.022
3	9	225	4	6.500	28.6	0.025
4	10	250	4	6.750	29.7	0.031
5	12	300	2	10.500	23.1	0.042

















PUNCHES

ASK Overseas

PRODUCTS PEOPLE ASK FOR...



AO-2001

LETTER PUNCH SETS (set of 27 pcs)

- Made of selected carbon steel,EN-8
- Duly hardened & Tempered
- Black burnished
- Comes in Plastic color boxes

Capacity		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
mm	inch	(gms)	(sets)	(kgs)	(in Cu.m)
1	1/16	510	60	33.7	0.014
2	3/32	680	60	44.9	0.014
3	1/8	840	35	32.3	0.014
4	5/32	840	35	32.3	0.014
5	3/16	1250	25	34.4	0.014
6	1/4	1750	15	28.9	0.014
7	1/4	1750	15	28.9	0.014
8	5/16	2050	6	13.5	0.014
10	3/8	4200	6	27.7	0.014
12	1/2	5000	5	27.5	0.014



AO-2002

FIGURE / NUMBER PUNCH SETS (set of 9 pcs)

- Made of selected carbon steel, EN-8
- Duly hardened & Tempered
- Black burnished
- Comes in Plastic color boxes

Capacity		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
mm	inch	(gms)	(sets)	(kgs)	(in Cu.m)
1	1/16	170	100	18.7	0.013
2	3/32	210	100	23.1	0.013
3	1/8	280	100	30.8	0.013
4	5/32	280	100	30.8	0.013
5	3/16	420	50	23.1	0.013
6	1/4	580	50	31.9	0.013
7	1/4	580	50	31.9	0.013
8	5/16	680	40	29.9	0.013
10	3/8	1400	20	30.8	0.013
12	1/2	2000	12	26.4	0.013




AO-2003

NAIL PUNCHES

- Made of selected carbon steel
- Duly hardened & Tempered
- Black burnished
- Knurled body for secured grip
- Available in SQUARE /ROUND HEAD

Punch Dia		Punch Length		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
mm	inch	mm	inch	(gms)	(sets)	(kgs)	(in Cu.m)
1.5	1/16	100	4	25	1000	28.0	0.032
2.5	3/32	100	4	35	1000	38.0	0.032
3	1/8	100	4	35	1000	38.0	0.032
4	5/32	100	4	50	600	33.0	0.032
5	3/16	100	4	46	600	30.0	0.032



PUNCHES




AO-2004

LEATHER HOLLOW PUNCHES

- Made of selected carbon steel
- Hardened & Tempered cutting edges
- Black burnished

Capacity		WT/pc (gms)	Qty/Ctn (sets)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
mm	inch				
2	3/32	22	800	19.4	0.032
3	1/8	25	800	22.0	0.032
4	5/32	26	700	20.0	0.032
5	3/16	50	600	33.0	0.032
6	1/4	50	500	27.5	0.032
7	9/32	70	400	30.8	0.032
8	5/16	90	300	29.7	0.032
9	23/64	90	300	29.7	0.032
10	3/8	120	200	26.4	0.032
11	7/16	125	200	27.5	0.032
12	1/2	150	200	33.0	0.032
13	17/32	155	200	34.1	0.032
14	9/16	185	150	30.5	0.032
15	19/32	175	150	28.9	0.032
16	5/8	175	150	28.9	0.032
17	11/16	225	100	24.8	0.032
18	23/32	225	100	24.8	0.032
19	3/4	225	100	24.8	0.032
20	13/16	265	100	29.2	0.032
21	27/32	265	100	29.2	0.032
22	-	265	100	29.2	0.032
23	29/32	310	80	27.3	0.032
24	15/16	310	80	27.3	0.032
25	1	310	80	27.3	0.032





AO-2005

CENTRE PUNCHES

- Made of selected carbon steel
- Duly hardened & Tempered
- Knurled body for secured grip
- Finish: Black, Chrome plated
- Available in SQURE /ROUND HEAD

Punch Dia		Punch Length		WT/pc (gms)	Qty/Ctn (sets)	WT/Ctn (kgs)	Vol/Ctn (in Cu.m)
mm	inch	mm	inch				
1.5	1/16	75	3	22	1500	33.0	0.032
2	5/16	100	4	33	1000	33.0	0.032
2.5	3/32	100	4	35	1000	33.0	0.032
3	1/8	100	4	35	1000	33.0	0.032
3.5	9/64	100	4	40	1000	38.0	0.032
4.5	5/32	100	4	50	600	30.0	0.032
5	3/16	100	4	60	600	33.0	0.032
6	1/4	100	5	100	300	32.0	0.032





AO-2006

DRIVE PIN PUNCH

- Made of selected carbon steel
- Duly hardened & Tempered
- Knurled body for secured grip
- Sizes available : 4",6",8"

Length: 4" (100 mm)

Punch Sizes		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
mm	inch	(gms)	(sets)	(kgs)	(in Cu.m)
1.5	1/16	33	1000	33.0	0.014
2.5	3/32	35	1000	33.0	0.014
3	1/8	35	1000	33.0	0.014
4	5/32	40	800	31.0	0.014
5	3/16	50	600	30.0	0.014
5.5	7/32	60	600	30.0	0.014
6	1/4	80	400	29.0	0.014
8	5/16	80	400	30.0	0.014
10	3/8	135	200	27.0	0.014

Length: 6" (100 mm)

Punch Sizes		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
mm	inch	(gms)	(sets)	(kgs)	(in Cu.m)
1.5	1/16	33	1000	33.0	0.021
2.5	3/32	35	1000	33.0	0.021
3	1/8	35	1000	33.0	0.021
4	5/32	40	800	31.0	0.021
5	3/16	50	600	30.0	0.021
5.5	7/32	60	600	30.0	0.021
6	1/4	80	400	29.0	0.021
8	5/16	80	400	30.0	0.021
10	3/8	135	200	27.0	0.021

Length: 8" (200 mm)

Punch Sizes		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
mm	inch	(gms)	(sets)	(kgs)	(in Cu.m)
1.5	1/16	78	400	31.0	0.032
2.5	3/32	78	400	31.0	0.032
3	1/8	136	250	34.0	0.032
4	5/32	136	250	34.0	0.032
5	3/16	140	250	35.0	0.032
6	1/4	140	250	35.0	0.032
8	5/16	160	200	32.0	0.032
10	3/8	175	200	35.0	0.032











HACKSAWS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...

HACKSAWS



AO-2101

HACKSAW FRAME WITH WOODEN HANDLE

- Strong steel frame made from steel flat
- Finish: powder coated
- Supplied with 300 mm blade

Capacity		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
inch	mm	(gms)	(pcs)	(kgs)	(in Cu.m)
12	300	500	60	35.0	0.067



AO-2102

TUBULAR HACKSAW FRAME WITH PLASTIC HANDLE

- Tubular steel frame
- Finish: Chrome plated body with plastic handle
- Supplied with 300 mm blade
- Also available in Steel / Die casted handle

Capacity		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
inch	mm	(gms)	(pcs)	(kgs)	(in Cu.m)
12	300	350	40	15.4	0.061



AO-2103

WOODEN SAW

- High speed Carbon steel blade
- With moulded plastic handle

Capacity		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
inch	mm	(gms)	(pcs)	(kgs)	(in Cu.m)
12	300	322	100	35.4	0.066
14	350	400	100	44.0	0.077
16	400	450	80	39.6	0.092
18	450	500	80	44.0	0.080
20	500	600	60	39.6	0.071
24	600	700	40	30.8	0.066



AO-2104

JUNIOR HACKSAW

- Strong steel frame
- Available in steel /plastic handles
- Finish : Chrome plated
- Available in 5mm / 6mm wire dia

Capacity		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
inch	mm	(gms)	(pcs)	(kgs)	(in Cu.m)
6	150	160	200	35.2	0.066
6	150	160	200	35.2	0.066
6	150	160	200	35.2	0.066
6	150	160	200	35.2	0.066
6	150	160	150	26.4	0.066
6	150	160	150	26.4	0.073
6	150	160	150	26.4	0.071






AO-2105

ADJUSTABLE HANDY HACKSAW

- 10" high speed steel blade
- Heavy duty plastic grip

Capacity		WT/pc	Qty/Ctn	WT/Ctn	Vol/Ctn
inch	mm	(gms)	(pcs)	(kgs)	(in Cu.m)
10	250	60	300	17.0	0.076













LEATHER APRONS

ASK Overseas

PRODUCTS PEOPLE ASK FOR...

LEATHER APRONS



AO-2201

11 POCKET SPLIT LEATHER APRON (Economy model)

a) With movable buckle

b) With fixed buckle

- 2 Large nail pockets
- 2 Small nail pockets
- 7 Small tool pockets
- 1 Metal tape holder
- Adjustable bell with quick release buckle



AO-2202

11 POCKET PROFESSIONAL SPLIT LEATHER APRON

- 2 large main pockets
- 3 Medium sized front nail pockets
- 4 Small pockets
- 1 Leather Tape Pocket
- 1 Metal movable hammer holder
- Double stitched with adjustable belt & quick release buckle
- Extra rivet reinforced for added strength



AO-2203

11 POCKET PROFESSIONAL SPLIT LEATHER APRON (with 2 tone leather)

- 2 Large main pockets
- 3 Medium sized nail pockets
- 6 Small nail pockets
- 2 fixed metal hammer holder & a steel tape holder
- Disable stitched & rivet reinforced for added strength
- Adjustable belt with quick released buckle



AO-2204

5 POCKET SPLIT LEATHER CARPENTER APRON

- 1 Large main pocket
- 1 Medium sized nail pocket with a metal tape holder
- 3 Small tool pockets with one leather hammer loop
- Double stitched rivet for added strength



AO-2205

MULTIPURPOSE LEATHER NAIL & TOOL BAG

- 1 Large main pocket
- 1 Medium sized flared pocket
- 2 Belt level stitched pockets
- 6 Small pencil pockets
- 2 Leather hammer loop
- Double stitched rivet reinforced
- Wide belt tunnel slot



AO-2206

MULTIPURPOSE TOOL POUCH (Australian model)

- 1 Main deep pocket
- 1 Small pocket
- 1 Side pocket for screw driver
- Wide belt slots

LEATHER APRONS



AO-2207
TOOL POUCH (Box shape)
- 1 Main deep pocket
- 2 Front moulded pockets
- Wide tunnel belt slot



AO-2208
SMALL TOOL HOLDER
- 2 Front tool pockets
- 1 Small side pocket
- Wide tunnel belt slot



AO-2209
SPLIT LEATHER WELDING APRON
- Made of split leather
- Split leather shoulder & waist strap
- 1 Small pocket to hold valuables



AO-2210
HAMMER HOLDER
a) with Movable Buckle
b) with Fixed Buckle
c) Metal Hammer Holder



AO-2211
LEATHER TAPE HOLDER
- Leather tape holder with safety strap
- Wide belt slot





DIVISIONS

PRODUCTS PEOPLE ASK FOR...

ASK Overseas

OUR OTHER DIVISIONS

UJ Cross	Tie Rod End	Ball Joint	Drag Link
			

Rear Axle Shafts (Fully Floating)	Rear Axle Shafts (Semi Floating)	Torsion Bars	Drive Shafts, Spindles, King Pins
			



TRUCK / BUS RADIAL AND BIAS TYRES



PASSENGER CAR RADIAL TYRES



AGRICULTURE TYRES



OTR, INDUSTRIAL & SOLID TYRES



ASK OVERSEAS PVT. LTD.

Works & Corp. Off:
GNA Enterprises Premises
G.T. Road, Jamalpur, Near Phagwara,
Punjab-144632 (INDIA)
Phone: +91-1824 222611, 656016, 656017
Fax: +91-1824 220014
Email: info@askoverseas.com

Regd. Off:
GNA Estate, G.T. Road,
Goraya-144409
Distt. Jalandhar,
Punjab (INDIA)
Tel.: +91-1826 262301,
Fax: +91-1826 262306

http://www.askoverseas.com